

Veedol ATF M-14

Material no. 03204T258

DESCRIPTION

Veedol ATF M-14 is a high grade full synthetic automatic transmission fluid formulated with a number of special base oils and additives. This red coloured ATF gives the following benefits:

- High shifting comfort
- Very low pour point
- Very good stability against oxidation
- High resistance to wear, corrosion and foam
- Constant friction stability over lifetime ensuring perfect clutch operation
- Perfect compatibility with seals and non-ferro metals
- Strong resistance to 'shudder vibration'

APPLICATION

The high grade automotive transmission fluid is specially recommended for the 1G-Tronic and 5-speed automatic transmissions of Mercedes-Benz. With optimised viscometrics, it contributes significantly to fuel efficiency. Has anti shudder properties and is designed for smooth shifting.

PERFORMANCE SPECIFICATIONS

Veedol recommends for
MB 236.14

TYPICAL CHARACTERISTICS

| | |
|---|-------|
| Density at 15°C, ASTM D4052, g/ml | 0.848 |
| Kinematic viscosity at 40°C, ASTM D445, mm ² /s | 28.6 |
| Kinematic viscosity at 100°C, ASTM D445, mm ² /s | 5.9 |
| Viscosity index, ASTM D2270 | 154 |
| Pour point, ASTM D6892, °C | -45 |
| Brookfield viscosity at -40°C, ASTM D2983, mPa.s | 11800 |
| Flash Point COC, ASTM D9, °C | 206 |
| Colour, VISUAL | RED |