

Veedol ATF M-14

Material no. 03204T258

DESCRIPTION

Veedol ATF M-14 is a high grade full synthetic automatic transmission fluid formulated with a number of special base oils and additives. This red coloured ATF gives the following benefits:

- High shifting comfort
- Very low pour point
- Very good stability against oxidation
- High resistance to wear, corrosion and foam
- Constant friction stability over lifetime ensuring perfect clutch operation
- Perfect compatibility with seals and non-ferro metals
- Strong resistance to 'shudder vibration'

APPLICATION

The high grade automotive transmission fluid is specially recommended for the 1G-Tronic and 5-speed automatic transmissions of Mercedes-Benz. With optimised viscometrics, it contributes significantly to fuel efficiency. Has anti shudder properties and is designed for smooth shifting.

PERFORMANCE SPECIFICATIONS

Veedol recommends for
MB 236.14

TYPICAL CHARACTERISTICS

Density at 15°C, ASTM D4052, g/ml	0.850
Kinematic viscosity at 40°C, ASTM D445, mm ² /s	31.3
Kinematic viscosity at 100°C, ASTM D445, mm ² /s	6.3
Viscosity index, ASTM D2270	157
Pour point, ASTM D6892, °C	-45
Brookfield viscosity at -40°C, ASTM D2983, mPa.s	<=20000
Flash Point COC, ASTM D9, °C	206
Colour, VISUAL	RED