

# Veedol Sintron Ultra 0W40

Material no. 03201T002

## DESCRIPTION

**Veedol Sintron Ultra 0W-40** is a modern universal full-synthetic motor oil produced with high quality synthetic base oils and a well balanced choice of advanced additives to give the following benefits:

- Fuel economy
- High resistance to shearing
- Fast cold start
- Safe lubrication film at very high temperatures
- Very good detergency and dispersion
- Very strong protection against wear, corrosion and foaming

## APPLICATION

This universal synthetic motor oil is recommended for use in petrol 4 valved turbocharged engines and diesel engines with or without turbo-charging, in passenger cars and delivery vans. It gives high fluidity at low temperatures ensuring excellent lubrication on starting.

## PERFORMANCE SPECIFICATIONS

ACEA A3/B4  
API SN  
Ford WSS-M2C937-A

**Approval**  
MB-Approval 229.5

**Veedol recommends for**  
BMW Longlife-01  
Porsche A40  
Renault RN 0700/RN 0710  
VW 502 00/505 00

## TYPICAL CHARACTERISTICS

Density at 15°C, ASTM D4052, g/ml	0.844
Kinematic viscosity at 40°C, ASTM D445, mm <sup>2</sup> /s	80.1
Kinematic viscosity at 100°C, ASTM D445, mm <sup>2</sup> /s	13.8
Viscosity index, ASTM D2270	178
B.N. (HClO <sub>4</sub> method), ASTM D2896, mg KOH/g	10.1
Pour point, ASTM D6892, °C	-57
Sulfated Ash, ASTM D874, Mass %	1.09
Flash Point COC, ASTM D92, °C	220
CCS viscosity at -35°C, ASTM D5293, mPa.s	6040